COMBINATION NICOTINE REPLACEMENT THERAPY (NRT)

RECOMMENDED STARTING DOSE


DAILY CIGARETTE CONSUMPTION

LESS THAN 10 10 OR MORE 14 MG + 2 MG LOZENGES OR 2 MG LOZENGES* OR 2 MG GUM*

*4MG LOZENGES OR GUM CAN BE CONSIDERED FOR HIGHLY DEPENDENT PATIENTS.

DIP/CHEW CONSUMPTION

CALCULATE YOUR SCORE BY ADDING THE POINTS FROM EACH OUESTION TOGETHER.





NICOTINE PATCH


USE 1 PATCH EVERY 24 HOURS TO MAINTAIN BASAL NICOTINE LEVELS.



SHORT-ACTING NRT


USE 6-10 LOZENGES OR PIECES OF GUM PER DAY AS NEEDED FOR BREAKTHROUGH CRAVINGS.

EXAMPLE COMBO NRT USE FOR 1 DAY



REDUCE DOSAGE OVER THE NEXT 2-6 MONTHS

EXAMPLE TAPER SCHEDULE



TAPERING MAY BE EXTENDED PAST 6 MONTHS, PARTICULARLY FOR PATIENTS WITH HIGH NICOTINE DEPENDENCE OR TROUBLE REDUCING THE DOSE OF NRT.

PATIENTS HAVE A BETTER CHANCE OF QUITTING WHEN THEY COMBINE MEDICATION WITH BEHAVIORAL COUNSELING. THE VA QUITLINE OFFERS CONVENIENT TELEPHONE COUNSELING FOR PATIENTS AT 1-855-QUIT-VET/1-855-784-8838.

GET ENCOURAGING AND INFORMATIVE MESSAGES FROM **SMOKEFREEVET TEXT**.

TEXT **VET TO 47848** OR GO TO **SMOKEFREE.GOV/VET**.

VETERANS HEALTH ADMINISTRATION | SMOKEFREE.GOV/VETERANS





